



## Spill control products : Safe storage, handling and distribution of hazardous liquid containers

A range of products designed to prevent costly spills and leaks of potentially dangerous liquids from storage containers. Suitable for safely handling car batteries, 200 litre drums, 1,000 litre IBC's, etc.

### Spill control range:

- 100% plastic: Will not rust and is resistant to most corrosive substances.
- Economy: Low cost, maintenance-free, helps save on floor cleaning, reduces potential environmental and compensation costs and stacks to save space when not in use.
- Ergonomics: Smooth rounded designs promote hygiene and help prevent operator injury.
- Customisation: Most spill control products have large marking areas and are available in other colours depending on order quantity.
- Handling: Light-weight with four-way entry pallet base.




Liquids safely poured into drums using drum funnel (ref B9080).



Retenpal has 56 cells to contain leaks. Nests to save up to 44% of space when not in use (ref R2906).



Drum bunds have moulded decks designed for the safe handling of either two or four drums (refs QS000, WSA07, VSA07).



Retention bunds have flat removable decking grids to suit a variety of liquid containers (refs QS100, WSB07, VSB07).



IBC's (up to 1,000 litres) safely stored on IBC bund (ref. BJS00).



### DRUM FUNNEL

#### 1 Ref. B9080

drum funnel  
Ext. dim.: Ø 550 X h 130 mm  
Wt: 1.9 Kg  
Colour: green.



### RETENPAL

#### 17 litres – Ref. R1908

pallet with 23 separate retention cells  
Ext. Dim.: L 800 x w 600 x h 225mm  
static load: 800 Kg\*  
dynamic load: 600 Kg\*  
Wt: 8 Kg  
Colour: green

#### 2 35 litres – Ref. R2906

pallet with 56 separate retention cells  
Ext. Dim.: L 1,200 x w 800 x h 225mm  
static load: 1,500 Kg\*  
dynamic load: 700 Kg\*  
Wt: 16 Kg  
Colour: green

\*depending on type and configuration of load



Separate cells reduce wave effect causing splashing and spillage (ref. XS107)



### RETENPACK

#### 1 75 litres – Ref. XS107

pallet with 9 feet within sump  
Ext. Dim.: L 860 x w 660 x h 230mm  
static load: 1,500 Kg\*  
dynamic load: 500 Kg\*  
Wt: 8.3 Kg. Colour: green sump, grey pallet

\*depending on type and configuration of load

#### 1 150 litres – Ref. XS007

pallet with 9 feet within sump  
Ext. Dim.: L 1,250 x w 850 x h 230mm  
static load: 1,500 Kg\*  
dynamic load: 500 Kg\*  
Wt: 16.0 Kg  
Colour: green sump, brown-red pallet



### DRUM BUNDS

#### 2 220 litres - Ref. QS000

moulded deck for up to 2 drums  
Ext. dim.: L 1,300 X w 800 X h 380 mm  
static load: 800 kg  
Wt: 30.0 Kg.  
Colour: green.



#### 3 240 litres - Ref. WSA07

moulded deck for up to 4 drums  
Ext. dim.: L 1,300 X w 1,300 X h 285 mm  
static load: 1,600 kg  
Wt: 40.0 Kg.  
Colour: green.

#### 4 450 litres - Ref. VSA07


moulded deck for up to 4 drums  
Ext. dim.: L 1,300 X w 1,300 X h 445 mm  
static load: 1,600 kg  
Wt: 52.0 Kg.  
Colour: green.



### RETENTION BUNDS

#### 5 220 litres - Ref. QS100

with one removable decking grid  
Ext. dim.: L 1,300 X w 800 X h 380 mm  
static load: 800 kg  
Wt: 36kg.  
Colour: green, black grid.




#### 6 240 litres - Ref. WSB07

with two removable decking grids  
Ext. dim.: L 1,300 X w 1,300 X h 285 mm  
static load: 1,600 kg  
Wt: 46.0 Kg.  
Colour: green, black grids.

#### 7 450 litres - Ref. VSB07

with two removable decking grids  
Ext. dim.: L 1,300 X w 1,300 X h 445 mm  
static load: 1,600 kg  
Wt: 57.0 Kg.  
Colour: green, black grids.

## Drum dispensing stand



1 – 20 litre front well collects drips when dispensing liquid from the drum.

2 – Safe overflow from front well into main bund through side.

3 – Holes for strapping drum to stand.

4 – Ergonomic handles.

5 – Can be fitted with optional label holder.



### 1 Ref. FS107

Dispensing stand for 200 litre drum  
Dim.: L 1,245 x w 570 x h 644mm  
Dim.: L 49.0 x w 22.4 x h 25.4"  
Static load: 330 Kg / 726 lbs.  
Wt: 32 Kg/70 lbs., Colour: black



### 2 Ref. QSF00

Drum stand ref. FS107 supplied with retention bund ref. QS100



### 3 Ref. WSF07

Drum stand ref. FS107 supplied with retention bund ref. WSB07 (for storing two drums beside dispensing stand)



### 4 Ref. VSF07

Drum stand ref. FS107 supplied with retention bund ref. VSB07 (for storing two drums beside dispensing stand)

## IBC bund

- 1,100 litre storage capacity retains 110% of a 1,000 litre IBC.

- Ideal for all Allibert Buckhorn IBCs (see pages 78 and 79) together with a wide range of liquids handling containers and drums.

- Maintenance-free, 100% weld-free plastic construction.

- Smooth surfaces and rounded corners for easy cleaning, free from sharp edges that could cause injury.

- Removable deck for emptying.



### 5 1,100 litres - Ref. BJS00

IBC bund with removable deck  
Dim.: L 1,855 x w 1,855 x h 660mm  
Dim.: L 73.0 x w 73.0 x h 26.0"  
Static load: 2,500 Kg / 5,500 lbs.  
Wt: 160 Kg/352 lbs., Colour: green, black grid



Safe liquid handling: up to 1,000 litres can be safely stored and dispensed (ref. BJS00 pictured with Allibert Buckhorn all-plastic IBC – see page 79).